

CleanSpace®

RESPIRATORS

Free the way you breathe

PRODUCT DATA SHEET

CleanSpace Battery Charger (all models) PAF-1101

DESCRIPTION

The CleanSpace Battery Charger is specifically designed to re-charge the internal lithium polymer battery of the CleanSpace Power Units. The battery charger has one lead and interchangeable plugs for use in different countries.

APPROVALS

Compatible with all CleanSpace Models

Standard

AS/NZS1716: 2012 Classification EN 12942 PAPR-P3

FEATURES

- Used with the revolutionary CleanSpace PAPR: light weight, no hoses or belts
- Multinational interchangeable plugs

SPECIFICATIONS AND MATERIALS

- Weight: 210g
- Dimensions: 163mm x 95mm x 70mm
- Cleaning: This part is NOT waterproof. Do not use solvents (turpentine or acetone), hot water, bleaching or chemical agents.
- Storage and Use: -10°C to +45°C (-4°F to +113°F) at <90% relative humidity.
- Store away from direct sunlight, grease and oil



APPLICATIONS

Welding, Woodworking, Manufacturing, Smelting, Construction, Recycling Plants, Emergency Services, Mining, Agriculture, Processing Plants, Grinding, DIY, etc.

LIMITATIONS

CleanSpace respirators are air filtering, fan assisted, positive pressure systems and designed to be worn in environments where there is sufficient oxygen to breathe safely. Do not use CleanSpace respirators in immediately dangerous to life or health (IDLH) atmospheres, to protect against gases/vapours that cannot be filtered or in oxygen enriched or deficient atmospheres.

WARRANTY

Visit https://cleanspacetechnology.com/warranty/ to read important Warranty information and complete the Warranty Registration Online Form for CleanSpace Products. Consumable parts are warranted up to the point of use, provided they have been stored correctly and are within their expiry date.



